



## UK Declaration of Conformity

The undersigned representing the following supplier:

Panduit Corp.  
World Headquarters  
18900 Panduit Drive  
Tinley Park, IL 60487  
USA



Herewith declare under our sole responsibility:

**Our product(s):** Type FS, F, and G Wiring Duct  
**Product identification:** FS, F and G Base, Cover, Divider Wall and Accessories  
(Refer to Annex I).

---

**These products are in conformity with the provisions of the following UK Regulations when used accordance with the instructions contained in the product documentation.**

2014/35/EU Low Voltage Directive

---


**And that the standards referenced below have been applied:**

BS EN 50085-1:2005+A1:2013 Cable trunking systems and cable ducting systems for electrical installations. General requirements  
BS EN 50085-2-3:2010 Cable trunking systems and cable ducting systems for electrical installations. Particular requirements for slotted cable trunking systems intended for installation in cabinets

Year of UKCA marking: 2021

---

I hereby declare that the product named above meets the essential requirements of, is in conformity with, and the UKCA mark has been applied according to, the relevant UK Regulations listed above using the relevant sections of the UK standards and other normative documents listed above.

  
**Christopher S. Clancy**  
VP, Legal & General Counsel  
Panduit Corp.

**Date:** September 28, 2021  
**Place:** Tinley Park, Illinois, USA

ANNEX I  
BASE COVER, DIVIDER WALL, AND ACCESSORIES PART NUMBERS

G.5X.5LG6	F.5X.5LG6	FS1X1.5LG6	D1H6
G.5X1LG6	F.5X1LG6	FS1X2LG6	D1.5H6
G.5X2LG6	F.75X.75LG6	FS1X3LG6	D4H6
G.75X.75LG6	F.75X1.5LG6	FS1X4LG6	D2HWH6
G.75X1LG6	F1X1LG6	FS1.5X1LG6	O3HWH6
G.75X1.5LG6	F1X1.5LG6	FS1.5X1.5LG6	O4HWH6
G.75X2LG6	F1X2LG6	FS1.5X2LG6	SD2H6
G1X1LG6	F1X3LG6	FS1.5X3LG6	SD3H6
G1X1.5LG6	F1X4LG6	FS2X1LG6	SD4H6
G1X2LG6	F1.5X1LG6	FS2X1.5LG6	SD2HWH6
G1X3LG6	F1.5X1.5LG6	FS2X2LG6	SD3HWH6
G1X4LG6	F1.5X2LG6	FS2X3LG6	SD4HWH6
G1.5X1LG6	F1.5X3LG6	FS2X4LG6	
G1.5X1.5LG6	F1.5X4LG6	FS3X1LG6	
G1.5X2LG6	F2X1LG6	FS3X2LG6	
G1.5X3LG6	F2X1.5LG6	FS3X3LG6	
G1.5X4LG6	F2X2LG6	FS3X4LG6	
G2X1LG6	F2X3LG6	FS3X5LG6	
G2X1.5LG6	F2X4LG6	FS4X1.5LG6	
G2X2LG6	F2X5LG6	FS4X2LG6	
G2X3LG6	F2.5X3LG6	FS4X3LG6	
G2X4LG6	F3X1LG6	FS4X4LG6	
G2X5LG6	F3X2LG6	FS4X5LG6	
G2.5X3LG6	F3X3LG6	FS6X4LG6	
G3X1LG6	F3X4LG6	C.5LG6	
G3X2LG6	F3X5LG6	C.75LG6	
G3X3LG6	F4X2LG6	C1LG6	
G3X4LG6	F4X3LG6	C1.5LG6	
G3X5LG6	F4X4LG6	C2LG6	
G4X1.5LG6	F4X5LG6	C2.5LG6	
G4X2LG6	F6X4LG6	C3LG6	
G4X3LG6	FS.5X.5LG6	C4LG6	
G4X4LG6	FS.5X1LG6	C6LG6	
G4X5LG6	FS.75X.75LG6	D2H6	
G6X4LG6	FS1X1LG6	D3H6	

Accessories include wire retainers, corner strips, bend radius control, etc.: CS1LG6, CSCILG6, FWR-C, FMWR-C, NR1, WRS-A-C10, WR2-C, WR2H-C, WR3-C, WR4-C and WR5-C. Corner strips and bend radius may be pre-cut into individual pieces.

Nomenclature: G - Wide slotted wall, F - narrow slotted wall, FS - solid wall, C - cover, D - divider wall, SD - slotted divider wall.

Example G1X1LG6: G is type wiring duct, 1X1 width and depth dimensions in inches, LG is light gray color (approval is in all colors}, 6 is length in feet.