

HPD UNIQUE IDENTIFIER: 25440
 CLASSIFICATION: 27 10 00 Structured Cabling
 PRODUCT DESCRIPTION: Copper Cable, Cat 6A, 4-Pair, 23 AWG, U/FTP, CMR

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 7 of 7 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
RISER JACKET [POLYVINYL CHLORIDE LT-P1 | RES ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2) BM-2 UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN | AQU | PBT ANTIMONY TRIOXIDE BM-1 | CAN | MUL] COPPER CONDUCTOR [COPPER LT-P1 | AQU] MYLAR/ALUMINUM TAPE [ALUMINUM BM-1 | END | RES | PHY UNDISCLOSED LT-UNK] RISER CABLE INSULATION [POLYETHYLENE LT-UNK] DRAIN WIRE [COPPER LT-P1 | AQU TIN LT-UNK] BLUE JACKETING PIGMENT [UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-3 UNDISCLOSED BM-3dg UNDISCLOSED BM-3] RIPCORD [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The material inventory for this product was screened to the 1000 ppm threshold. Any materials that may have a varying composition due to varying suppliers have been indicated as such in the material notes section.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2021-01-04 PUBLISHED DATE: 2021-07-15 EXPIRY DATE: 2024-01-04
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

RISER JACKET

#: 43.1900

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material represents the formulation of this product by the primary supplier, but actual product formulation may vary due to alternate suppliers of the product.

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-15 7:23:21

#: 40.0000 - 50.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Insulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

SUBSTANCE NOTES:

ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2)

ID: 8064-00-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-15 7:23:21

#: 20.0000 - 30.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-15 7:23:22

#: 10.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

UNDISCLOSED

ID: Undisclosed

%: **0.0000 - 5.0000**GS: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
AQU	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

ANTIMONY TRIOXIDEID: **1309-64-4**%: **0.0000 - 5.0000**GS: **BM-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES:

COPPER CONDUCTOR%: **29.3400**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:20**%: **100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Conductor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES:

MYLAR/ALUMINUM TAPE%: **12.5700**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material represents the formulation of this product by the primary supplier, but actual product formulation may vary due to alternate suppliers of the product.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:21**%: **25.0000 - 70.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES:

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:25**%: **0.0000 - 30.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

RISER CABLE INSULATION%: **11.2000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:19**%: **100.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DRAIN WIRE%: **3.0500**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material represents the formulation of this product by the primary supplier, but actual product formulation may vary due to alternate suppliers of the product.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:20**%: **97.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Conductor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES:

TIN

ID: 7440-31-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:22**%: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BLUE JACKETING PIGMENT%: **0.3500**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material represents the formulation of this product by the primary supplier, but actual product formulation may vary due to alternate suppliers of the product.

This pigment representation is indicative of the primary color variation of the product. Different color variations are possible depending on individual customer orders; however, these variations would only change the pigment components and would not affect the final hazard screening of the product.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:23**

#: **0.0000 - 100.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:23**

#: **0.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:24**

#: **0.0000 - 100.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:24**

#: **0.0000 - 100.0000** GS: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-15 7:23:25**

#: **0.0000 - 100.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: This chemical name and CASRN are considered proprietary to the manufacturer, but the substance has been screened using the GreenScreen rating system and the hazards have been reported.

RIPCORD %: 0.1800

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to be below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material represents the formulation of this product by the primary supplier, but actual product formulation may vary due to alternate suppliers of the product.

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-04 17:39:49

%: 0.0000 - 80.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-01- EXPIRY DATE:

CERTIFIER OR LAB: Self-Declared

APPLICABLE FACILITIES: All Facilities.

04

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Inherently non-emitting per LEED®.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This Health Product Declaration was developed by Sustainable Solutions Corporation of Royersford, PA on behalf of the Panduit Corporation.

MANUFACTURER INFORMATION

MANUFACTURER: Panduit Corp
ADDRESS: 18900 Panduit Drive
 Tinley Park IL 60487, United States
WEBSITE: <https://www.panduit.com/>

CONTACT NAME: Tech Support
TITLE: Tech Support
PHONE: (800) 405-6654
EMAIL: TechSupport@panduit.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.