2						1						
THIS	COPY I	S PRO	V I DED	ON A RESTRICTED BASIS AND IS NOT TO BE	E USED IN ANY W	AY DE	TRIMENTAL T	O THE	INTERESTS	OF PANDUIT CORP.		
PAN	TIUC	PART	NO.	WE I GHT	16	.00 -		-	—			
ER4P2996				41.8 Kg/EACH 92 LB/EACH	_	[406.4] HOLE TO HOLE						
W ⊢	EE O	ANDU : APPL	IT.C	NE CATALOG AT DM FOR A LIST OF CURRENT BLE FOR USE WITH THIS		A		•	· · · · · · · · · · · · · · · · · · ·	7	E	
3. C 	AN BOMPO	E USE NENT ONTAL PROD AILAE	ED W IN . CAI DUCT: BLE I	RACK SPACES.		 38.50 977.				41.00 [1041.4] OUTSIDES		
6. F	N CH 625" E ART :- TO	ANNEL ,.625 TC, INCLU P ANO	_S 5",.! JDES GLES		r	TULE	TO HULE		·	OU SIDES		
4 2 2	- 8' - BO - TO - CO	P CEN NNEC OUND! 12) 3	NEL! CEN NTER FOR I					[5	0.25			
7. L	- (- (24) 3 WAS 1) 12) 3	3/8" 5HER TUBE 3/8-	PAINT PIERCING GROUNDING OF ANTI-OXIDIZING PASTE 16 BLACK HEX NUTS 5 2000 LBS.			F	LOOR	FOOTPRIN	JT		
						TITLE	TELECOM	1MUNIC	ATIONS RO (ER4P299	DOM 4 POST RACK 6)		
							FILE NAME	16AD/01	JSTOMER DRA	PANIDUT	•	
						12V346AD_DC/				MATERIAL:		
01A 1-7-19			JEFK	ADDED RU NUMBERING	12V346AD-DC	-				STEEL		
00B 4-10-15		NAGL PM	CMK	ADDED MATERIAL: STEEL DRAWING RELEASED	M09000AM 12V346AD-DC	 		ТНІ	RD ANGLE	DRAWING NUMBER:		
	+					DRAWN BY	DATE		RD ANGLE DJECTION SCALE		IZE	
revi date	BY	CHK	APR	DESCRIPTION	ECN	BAME	2-6-13	PM	NONE	SHT 1 0F 3	A	



