
## THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.





## NOTES:

- 1. ANTI-OXIDANT JOINT COMPOUND RECOMMENDED FOR ALL ALUMINUM CONNECTIONS
- 2. CLAMP AND SET SCREWS ARE TIN PLATED ALUMINUM
- 3. MADE IN U.S.A.
- 4. SEE TABLE BELOW FOR RIGID CONDUIT, GALVANIZED STEEL WATER PIPE OR COPPWER WATER TUBE SIZE:

CAT. NO.	TUBE SIZE
GC-15A-Q	1/2 - 3/4 - 1 IN.
GC-18A-X	1-1/4 - 1-1/2 - 2 IN.
GC-22A-4	2-1/2 - 3 - 3-1/2 - 4 IN.

CAT. NO.	WIRE RANGE	INSTALLATION	DIM A	DIM B	DIM C	DIM D
CAT. NO.	COPPER AND ALUMINUM	TOOL	IN.	IN.	IN.	IN.
GC-15A-Q	1/0 - 14 AWG STR. 10 - 14 AWG SOL.	SLOTTED SCREW DRIVER	2.25	0.69	1.150	0.50
GC-18A-X	250 kemil - 6 AWG STR.	5/16 HEXALLEN WRENCH	3.75	0.81	1.81	0.875
GC-22A-4	250 kcmil - 6 AWG STR.	5/16 HEXALLEN WRENCH	6.31	1.00	2.58	1.62

							ALUMINUM GROUND CLAMP GC SERIES CUSTOMER DRAWING		
							TITEM REVISION NAME N41103BB-C41103/05  DATASET FILE NAME C41103/05.SLDDRW  C41103/05.SLDDRW		
							UNLESS OTHERWISE SPECIFIED, MATERIAL		
							DIMENSIONAL TOLERANCES ARE: IN [mm]  .X ± .XXX ± SEE NOTES  .XX ± ANGLES ±		
05	3/13	JHNU	JHNU	RGB	REVISED TITLE BLOCK	N41103BB-C41103	THIRD ANGLE PROJECTION C41103_05		
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	MJC 6/93 RAK NONE SHEET 1 OF 1		