
THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP. 1.80 PANDUIT P/N **WEIGHT** .20 DIA TYP. [45.7] .67 LB/EACH [5.1]GPKBW144Y (305 g/EACH)



SUP

ECN -

R

CUST

DATE

BY

CHK

DESCRIPTION

02479-266 SHEET 1 OF 2

SEE NOTES

+

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:

- 1. SEE CURRENT CATALOG FOR ADDITIONAL PART NUMBER SUFFIXES TO INDICATE COLOR AND OR PACKAGE QUANTITY.
- 2. SEE CATALOG FOR COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PART.
- 3. DIMENSIONS IN PARENTHESES ARE IN METRIC.
- 4. INSTALLATION REQUIRES SCREWS.
- 5. MATERIAL:
 WIRE STRIP- POLYCARBONATE
 BASE- POLYCARBONATE
- 6. SEE CHART FOR PARTS INCLUDED WITH KIT.

| GIGA-PUNCH FIELD TERMINATION KIT | | | | |
|----------------------------------|-----------------------|-------------------------------|----------------------------|---------------------|
| PART NO. | BASE | NUMBER OF CONNECTOR BLOCKS | NUMBER OF LABEL HOLDERS | NUMBER OF LABELS |
| GPKBW144Y | 144 PAIR WITH LEGS | 36 | 2 | 2 |

MODEL FILENAME SIZE DRAWING FILENAME M02479KE_DC266_00B.PRT GIGA-PUNCH HIGH DENSITY FIELD TERMINATION KIT CUSTOMER DRAWING I.I. NUMBER ₇₂₂ TM NDUIT CORP. PRODUCT SPEC/ PKG SPEC TINLEY PARK, ILL 60477 ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED, ASSY METHOD/ TEST METHOD DIMENSIONAL TOLERANCES ARE: SCALE (.X) ±.03 (.XXX) ±.005 NONE THIRD ANGLE PROJECTION (.XX) ±.01 ANGLES ± 1° DRAWN BY REVIEW DRAWING NUMBERS PART NO. NER GPKBW144Y DATE 3-20-06 NER SEE SHEET I FOR CURRENT REVISIONS 02479-266 3-20-06 MAT'L DRAWING NO. 02479-266 SHEET 2 OF 2 CHK,D SEE NOTES SUP DATE BY CHK DESCRIPTION ECN - R CUST

4