DI

ВЗ

C1

C2

C3

C4

D1

D2

D3

E1

E2

E3

E4

E5


F

G

Н

Extra-Heavy Cable Tie Mounts - Screw Applied

 Unique cradle design provides maximum stability for cable bundle



Route and support large diameter and heavy cable bundles



Part Number	Used with Cable Ties‡	Material	Color	Environment	Mounting Method		Ctn.
TMEH-S8-Q0	M, I, S, HS, LH, H, EH. HLM				#8 (M4) Screw		
TMEH-S10-Q0		Weather Resistant Nylon 6.6	Black	Outdoors	#10 (M5) Screw	25	250
TMEH-S25-Q0	LI 1, 1 1 LIVI	1491011 0.0			1/4 (M6) Screw		
TMEH-S10-C100	M, I, S, HS, LH, H,	Weather Resistant Polypropylene	Black	Outdoors	#10 (M5) Screw		500
TMEH-S10-C109	EH, HLM	Polypropylene	Green	Indoors	#10 (M5) Screw	100	500

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, S = Standard, HS = Heavy-Standard, LH = Light-Heavy, H = Heavy, EH = Extra-Heavy and HLM = Miniature Tak-Ty® Hook & Loop Ties.

Heavy Duty Cable Tie Mounts

Part Number	Used with Cable Ties‡	Material	Color	Environment	Mounting Method	Std. Pkg. Qty.	Std. Ctn. Qty.
TMEH2S5-D350		Heat Stabilized,			#10 (M5) Screw		
TMEH2S6-D350	I, S, H, EH	Impact Modified, Weather Resistant	Black	Outdoors	1/4" (M6) Screw	500	2000
TMEH2S8-D350		Nylon 6.6			5/16" (M8) Screw		

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, S = Standard, HS = Heavy-Standard, LH = Light-Heavy, H = Heavy, EH = Extra-Heavy and HLM = Miniature Tak-Ty® Hook & Loop Ties.

Heavy Duty Cable Tie Mount Assemblies


Part Number	Used with Cable Ties‡	Color	Environment	Mounting Method	Std. Pkg. Qty.	Std. Ctn. Qty.
TMEH2S5-3E-C350	M, I, S, HS, LH, H, EH, HLM		Outdoors	#10 (M5) Screw	100	
TMEH2S6-3E-C350		Black		1/4" (M6) Screw		1000
TMEH2S8-3E-C350				5/16" (M8) Screw		

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, S = Standard, HS = Heavy-Standard, LH = Light-Heavy, H = Heavy, EH = Extra-Heavy and HLM = Miniature Tak-Ty® Hook & Loop Ties.


Swivel Mounts


- The two mounts are securely fastened together with a connecting rivet that allows both mounts to rotate
- Can join bundles of cable, tubing, or hoses that may need to move or are not parallel
- Separates bundles to avoid abrasion
- Material: Weather Resistant Nylon 6.6











	Used with	Pull Apart Force		Color	Environment	Std. Pkg.	Std. Ctn.
Part Number Cable Ties‡		Lbs.	g			Qty.	Qty.
TM3-X2-C0Y	M, I, S, HS, LH	120	54,431	Black	Indoors/Outdoors	100	1000
TMEH-X2-L0Y	M, I, S, HS, LH, H, EH, HLM	250	113,398			50	500

‡Cable tie cross section sizes: M = Miniature, I = Intermediate, S = Standard, HS = Heavy-Standard, LH = Light-Heavy, H = Heavy, EH = Extra-Heavy and HLM = Miniature Tak-Ty® Hook & Loop Ties.